Michigan Department of Transportation 5100B (09/06)

CHECKLIST TO DESIGNATE AREAS OF EVALUATION FOR REQUESTS FOR PROPOSAL (RFP)

MDOT PROJECT MANA	GER		JOB NUMBER (JN)	CONTROL SECTION (CS)
DESCRIPTION IF NO JN	I/CS			
WHI	OT PROJECT MANAGER: Check all items to be included in RFP. WHITE = REQUIRED GRAY SHADING = OPTIONAL		CONSULTANT: Provide only checked items below in proposal.	
Check the	appropriate Tier in the b	ox below		
TIER I (\$25,000-\$99,999)	TIER II (\$100,000- \$250,000)	TIER III (>\$250,000)		
			Understanding of Service	
			Innovations	
			Safety Program	
N/A			Organization Chart	
			Qualifications of Team	
			Past Performance	
Not required as part of official RFP	Not required as part of official RFP		Quality Assurance/Quality	Control
			will be used on all contract	of work performed in Michigan is unless the contract is for cation should be scored for the
N/A	N/A		Presentation	
N/A	N/A		Technical Proposal (if Pres	sentation is required)
3 pages including cover sheet (No Resumes)	7 pages	19 pages	Total maximum pages for I nel resumes	RFP not including key person-

REQUEST FOR PROPOSAL

The Michigan Department of Transportation (MDOT) is seeking professional services for the project contained in the attached scope of services

If your firm is interested in providing services, please indicate your interest by submitting a Proposal, Proposal/Bid Sheet or Bid Sheet as indicated below. The documents must be submitted in accordance with the latest "Consultant/Vendor Selection Guidelines for Service Contracts" and "Guideline for Completing a Low Bid Sheet(s)", if a low bid is involved as part of the selection process. **Referenced Guidelines are available on MDOT's website under Doing Business > Requests for Proposals.**

RFP SPECIFIC INFORMATION					
BUREAU OF HIGHWAYS		BUREAU OF TRAI	NSPORTATION PLANNING **	OTHER	
THE SERVICE WAS POSTED ON THE ANTICIPATED QUARTERLY REQUESTS FOR PROPOSALS					
NO	YES	DATED	THROUGH		
		age of the attache Prequalification Classifica	sure that current financial in computations, and financia is on file with MDOT's Off	vices - If selected, the vendor must make formation, including labor rates, overhead al statements, if overhead is not audited, ice of Commission Audits. This informaprime vendor and all sub vendors so that ayed.	

Qualifications Based Selection - Use Consultant/Vendor Selection Guidelines

For all Qualifications Based Selections, the selection team will review the information submitted and will select the firm considered most qualified to perform the services based on the proposals. The selected vendor will be contacted to confirm capacity. Upon confirmation, that firm will be asked to prepare a priced proposal. Negotiations will be conducted with the firm selected.

** For RFP's that originate in Bureau of Transportation Planning only, a price proposal must be submitted at the same time as, but separate from, the proposal. Submit directly to the Contract Administrator/Selection Specialist, Bureau of Transportation Planning (see address list, page 2). The price proposal must be submitted in a sealed manila envelope, clearly marked in large red letters "PRICE PROPOSAL – TO BE OPENED ONLY BY SELECTION SPECIALIST." The vendor's name and return address MUST be on the front of the envelope. The price proposal will only be opened for the highest scoring proposal. Unopened price proposals will be returned to the unselected vendor(s). Failure to comply with this procedure may result in your bid being opened erroneously by the mail room.

For a cost plus fixed fee contract, the selected vendor must have a cost accounting system to support a cost plus fixed fee contract. This type of system has a job-order cost accounting system for the recording and accumulation of costs incurred under its contracts. Each project is assigned a job number so that costs may be segregated and accumulated in the vendor's job-order accounting system.

Qualifications Review / Low Bid - Use Consultant/Vendor Selection Guidelines. See Bid Sheet Instructions for additional information.

For Qualification Review/Low Bid selections, the selection team will review the proposals submitted and post the date of the bid opening on the MDOT website. The notification will be posted at least two business days prior to the bid opening. Only bids from vendors that meet proposal requirements will be opened. The vendor with the lowest bid will be selected. The selected vendor may be contacted to confirm capacity.

Best Value - Use Consultant/Vendor Selection Guidelines. See Bid Sheet Instructions below for additional information. The bid amount is a component of the total proposal score, not the determining factor of the selection.

Low Bid (no qualifications review required - no proposal required.) See Bid Sheet Instructions below for additional instructions.

BID SHEET INSTRUCTIONS

A bid sheet(s) must be submitted in accordance with the "Guideline for Completing a Low Bid Sheet(s)" (available on MDOT's website). The Bid Sheet is located at the end of the Scope of Services. Submit bid sheet(s) separate from the proposal, to the address indicated below. The bid sheet(s) must be submitted in a sealed manila envelope, clearly marked in large red letters "SEALED BID – TO BE OPENED ONLY BY SELECTION SPECIALIST." The vendor's name and return address MUST be on the front of the envelope. Failure to comply with this procedure may result in your bid being opened erroneously by the mail room.

MDOT 5100H (09/06) Page 2 of 2

PROPOSAL SUBMITTAL INFORMATION

REQUIRED NUMBER OF COPIES FOR PROJECT MANAGER	PROPOSAL DUE DATE	TIME DUE

PROPOSAL AND BID SHEET MAILING ADDRESSES

Mail the multiple proposal bundle to the MDOT Project Manager or Other indicated below.

MDOT Project Manager MDOT Other

Mail one additional stapled copy of the proposal to the Lansing Office indicated below.

Lansing Regular Mail	OR	Lansing Overnight Mail
Secretary, Contract Services Div - B225 Michigan Department of Transportation		Secretary, Contract Services Div - B225 Michigan Department of Transportation
PO Box 30050		425 W. Ottawa
Lansing, MI 48809		Lansing, MI 48833
Contract Administrator/Selection Specialist		Contract Administrator/Selection Specialist
Bureau of Transportation Planning B340		Bureau of Transportation Planning B340
Michigan Department of Transportation		Michigan Department of Transportation
PO Box 30050		425 W. Ottawa
Lansing, MI 48809		Lansing, MI 48833

GENERAL INFORMATION

Any questions relative to the scope of services must be submitted by e-mail to the MDOT Project Manager. Questions must be received by the Project Manager at least four (4) working days prior to the due date and time specified above. All questions and answers will be placed on the MDOT website as soon as possible after receipt of the questions, and at least three (3) days prior to the RFP due date deadline. The names of vendors submitting questions will not be disclosed.

MDOT is an equal opportunity employer and MDOT DBE firms are encouraged to apply. The participating DBE firm, as currently certified by MDOT's Office of Equal Opportunity, shall be listed in the Proposal

MDOT FORMS REQUIRED AS PART OF PROPOSAL SUBMISSION

5100D - Request for Proposal Cover Sheet

5100G – Certification of Availability of Key Personnel

(These forms are not included in the proposal maximum page count.)

Michigan Department of Transportation

SCOPE OF SERVICE FOR TRAFFIC AND SAFETY SERVICES

CONTROL SECTIONS: 58900

JOB NUMBER: 87941C

PROJECT DESCRIPTION:

Providing engineering services for signal optimization on various State Trunklines in Monroe County in the University Region. This project will provide MDOT with updated corridor signal progression plan with optimized traffic signal operations along each corridor. The consultant team will provide this information on MDOT timing permits. New timings will be implemented by MDOT staff. Follow-up analysis of the network and recommending adjustments to the system after implementation is required, as is a before and after study of the effectiveness. Services also include a safety analysis for each intersection. All work will follow the MDOT timing guidelines and other documents provided by MDOT.

PROJECT LOCATION:

46 Signalized Intersections in Monroe County, University Region.

The lists of locations included in this project are:

1)	58032-001 M50 (Tecumseh, Monroe) @ Riley & Dundee/Main St.	Dundee Twp
2)	58032-008 M50 (Tecumseh) @ Ann Arbor Rd.	Dundee Twp
3)	58033-005 US23 NB Off Ramp @ M50	Dundee Twp
4)	58033-105 US23 SB Off Ramp @ M50	Dundee Twp
5)	58034-001 US23 NB & SB Off Ramps @ Sterns Rd.	Whiteford Twp
6)	58041-002 M50 at Cabela Rd. and Helle Blvd.	Dundee Twp
7)	58042-003 M50 (S Custer) @ Herr Rd.	Monroe Twp
8)	58042-005 M50 (Front) @ Roessler St.	City of Monroe
9)	58042-010 M50 @ Waterloo School Crossing	City of Monroe
	58042-011 M50 @ Raisinville Rd.	Raisinville Twp
11)	58051-002 US 24 Telegraph @ Sterns Rd.	Bedford Twp
12)	58051-003 US24 (Telegraph) @ Smith Lavoy Rd.	Bedford Twp
13)	58052-001 US24 (Telegraph) @ M151& Luna Pier Rd.	Erie Twp
14)	58052-003 US24 (Telegraph) @ Dunbar Rd.	Monroe Twp
15)	58052-004 US24 (Telegraph) @ M50 (Front)	City of Monroe
16)	58052-005 US24 (Telegraph) @ Stewart Rd.	Frenchtown Twp
17)	58052-008 US24 (Telegraph) @ Albain Rd.	Monroe Twp
18)	58052-011 US24 (Telegraph) @ Holiday Dr./Lazy Boy	Monroe Twp
19)	58052-010 US24 (Telegraph) @ 7 th St.	Monroe Twp
20)	58052-015 US24 (Telegraph) @ Lorain St.	City of Monroe
21)	58052-018 US24 (Telegraph) @ Fredricks Rd.	City of Monroe
22)	58052-019 US24 (Telegraph) @ Mall Rd, Walmart Dr.	Frenchtown Twp
23)	58053-001 US24 (Telegraph) @ M125 (Monroe)	Frenchtown Twp

24) 58053-002 US24 (Telegraph) @ Newport Rd. Frenchtown Twp 25) 58053-003 US24 (Telegraph) @ Carleton Rockwood Rd. Ash Twp 26) 58071-001 M125 (Dixie Hwy) @ Manhattan & Stoddard Erie Twp 27) 58071-002 M125 (Monroe) @ 6th St. City of Monroe 28) 58071-003 M125 (Monroe) @ 3rd St. City of Monroe 29) 58071-004 M125 (Monroe) @ 2nd St. City of Monroe 30) 58071-005 M125 (Monroe) @ M50 (First) City of Monroe 31) 58071-006 M125 (Monroe) @ M50 (Front) City of Monroe 32) 58071-007 M125, M50 (Monroe) @ M50 (Elm) City of Monroe City of Monroe 33) 58071-008 M125 (Monroe) @ Noble St. 34) 58071-010 M125 (Dixie Hwy) @ US24 Connector, Luna Pier Erie Twp 35) 58071-011 M125 (Monroe) @ Stewart & Cole Frenchtown Twp 36) 58071-013 M125 (Monroe) @ Jones St. Shopping Center City of Monroe 37) 58071-014 M125 Dixie Highway at Benore City of Monroe 38) 58071-015 M125 (Dixie Hwy) @ Dunbar South Monroe 39) 58071-024 M125 (Dixie Hwy) @ Sterns Rd. Erie Twp 40) 58071-025 M125 (Dixie Hwy) @ Albain Rd. South Monroe 41) 58071-026 M125 (Monroe) @ Nadeau Rd. Frenchtown Twp 42) 58071-027 M125 @ Mable Kehres Retirement Center South Monroe 43) 58071-028 M12 5 (Monroe) @ Frenchtown Mall Frenchtown Twp 44) 58152-003 I75 SB off Ramp @ Nadeau Rd. Frenchtown Twp 45) 58152-005 I75 SB off Ramp @ Dixie Hwy (Old M50) Frenchtown Twp 46) 58152-105 I75 NB off Ramp @ Dixie Hwy (Old M50) Frenchtown Twp

MDOT PROJECT MANAGER:

Stephanie Aldighieri Michigan Department of Transportation Traffic & Safety Support Area 4701 West Michigan Ave Jackson, MI 49201

Email: aldighieris@michigan.gov

Tel: (517) 750-0422 Fax: (517) 750-4397

PRIMARY PREQUALIFICATION CLASSIFICATIONS:

Traffic Signal Operations

DBE REQUIREMENT

There is no Disadvantage Business Enterprise (DBE) requirement for this service.

GENERAL WORK DESCRIPTION:

It is anticipated that the engineering services for this project will include, but not be limited to:

- Obtain and review the current signal timing plans. It may be necessary for the consultant to obtain and review the signal timing plans of the existing signals immediately upstream/adjacent to the project signals to evaluate continued progression along a given corridor.
- Field collection of the 2-hour A.M. peak period, 4-hour P.M. peak period, and 2-hour mid-day off-peak turning movement volumes. Unless otherwise approved, all counts will be taken on Tuesday, Wednesday, or Thursday. No counts will be taken during major holiday periods. Exact periods will be determined during the project and approved by the MDOT project manager.
- 24 hour machine counts at each intersection shall be completed to determine schedules for peak periods and flash schedule. Approximately 25% additional locations may require machine counts to be taken during the weekend period and/or summer periods to provide a weekend and/or summer timing plan. Locations to be determine during the project and approved by the MDOT project manager.
- All intersections will require development of timings plans for the A.M. peak, P.M. peak, mid-day off-peak periods and possibly the weekend and/or summer periods.
- Field collection of lane geometry, posted speed limits, intersection widths, travel distance between signalized locations, grades, lane widths, no turn on red signs, pedestrian facilities (heads and pushbuttons).
- Take a digital photograph of each intersection approach.
- Input 24 hour and turning counts into a software or database, approved by Project Manager, for storage and future use. If necessary provide MDOT with the software necessary for reading and inputting etc. A detailed layout will be determined at the initial kick off meeting so that all corridors are compatible.
- Optimize traffic signal operations to improve traffic flow and reduce delay at each intersection using the *Synchro* 6 software.
- Simulate the results using the *SimTraffic 6* software.

- Calculate vehicle and pedestrian clearance intervals at each location based on traffic signal timing standards provided by MDOT.
- Compile a summary of system M.O.E.'s and a cost/benefit analysis for the project area.
- Identify any potential improvements in the existing signal equipment, lane assignment or roadway geometry that will provide better operational and safety characteristics, if corrected.
- Evaluate the crash data to determine if there are any crash patterns. Report on crash patterns to the MDOT project manager for future analysis by MDOT. Operational improvements deemed necessary by the crash analysis shall be incorporated into the timing plans developed by the consultant.
- Conduct review of nearby signals on cross streets that are within 500 feet of the corridor being retimed.
- Develop and submit for review computer simulations and "red-lined" signal-timing plans for each location in accordance with each road agency's format. Revise these timing plans in accordance with MDOT, the road agency's and local communities' comments.
- Provide the applicable local agency the MDOT timing permits for the corridor being retimed so they can utilize them to adjust their own timing permits for those effected signals. The local agency should be given enough time to allow for the installation to be implemented at the same time as MDOT.
- Conduct a follow-up field critique of the new timing plans and recommend adjustments as required. Where required, submit revised signal timing plans.
- In addition to the normal timing, a special event timing plan may also be necessary depending on the specific corridor.
- Perform before and after analysis using actual travel time runs and prepare a brief summary outlining the benefits derived from the project. The following bullets will give an overview of the details that will be involved:

Data Collection:

- The consultant will be required to collect manual turning-movement count data at each study intersection in an electronic format.
- The consultant will be required to collect and evaluate detailed pointto-point travel time data using PC Travel or similar approved data collection and processing software. Collection of travel time data using PC Travel requires use of a laptop computer, with data collected from one of the following two sources:

- Using a handheld GPS receiver coupled with the GPS Travel Time software package, or;
- Using a vehicle-mounted transmission sensor coupled with a TDC-8 traffic count board.
- Provide a written final report (2 paper copies & 4 electronic copies on CD)
 that includes all identified roadway geometry, lane assignments, speed limits,
 equipment/roadway deficiencies and recommended improvements, turning
 movement count data, 24 hour approach counts, flash schedule analysis,
 clearance interval analysis, collision diagrams, crash analysis and
 recommendations, and summary of each local meeting.

CONSULTANT RESPONSIBILITIES:

- Schedule a pre-project review meeting with the Department to review the scope-of-work and material on hand at the Department for the Consultant's use and discuss equipment requirements (hardware and software), methods, and experience of key personnel. The pre-project meeting will be in Jackson, Michigan, in the University Region Office.
- Conduct monthly status meetings at MDOT in the University Region Office. Provide written monthly project status reports to MDOT detailing progress towards completion of the project's goals and objectives. Also provide the meeting minutes.
- Provide MDOT electronic copies of the *Synchro 6* input, output, and simulation files so that they can be updated and used for future analysis. Provide MDOT an electronic copy of all project documentation.
- Utilize the MDOT signal optimization guidelines throughout the contract, as a tool. Any unusual locations shall be discussed with the Project Manager for direction to proceed.
- Utilize the MDOT supplied spreadsheet model for conducting benefit/cost evaluations on signal optimization projects. This spreadsheet replaces the DRCOG model that was used in past optimization projects. This is in electronic format.

MDOT RESPONSIBILITIES:

- Furnish to the Consultant the following:
 - The most recent 3-year traffic crash summaries from MDOT for each signalized location.

- o Existing timing plans and signal drawings of each intersection.
- Conduct reviews and provide comments on proposed timing permits, computer models and reports.

PAYMENT SCHEDULE

Compensation for this Scope of Services shall be on an actual cost plus fixed fee basis.

PROJECT SCHEDULE

For scheduling purposes, it is anticipated that this project will begin on January 29th, 2006. The optimization should be completed by November 18, 2007.

PAYMENT SCHEDULE

Compensation for this Scope of Services shall be on an actual cost plus fixed fee basis.

CONSULTANT PAYMENT:

All invoices/bills for services must be directed to the Department and follow the 'then current' guidelines. The latest copy of the "Professional Engineering Service Reimbursement Guidelines for Bureau of Highways" is available on MDOT's Bulletin Board System. This document contains instructions and forms that must be followed and used for invoicing/billing; payment may be delayed or decreased if the instructions are not followed.

Payment to the CONSULTANT for Services rendered shall not exceed the "Cost Plus Fixed Fee Not to Exceed Maximum Amount" unless an increase is approved in accordance with the contract with the CONSULTANT. All invoices/bills must be submitted within 14 calendar days of the last date of services being performed for that invoice.

Direct expenses will not be paid in excess of that allowed by the Department for its own employees. Supporting documentation must be submitted, with the invoice/bill, for all billable expenses on the Project. The only hours that will be considered allowable charges for this contract are those that are directly attributable to the CE activities of this Project. Hours spent in administrative, clerical, or accounting roles for billing and support, are not considered allowable hours; there will be no reimbursement for these hours.

Reimbursement for overtime hours will be limited to time spent <u>on this project</u> in excess of forty hours per week. Any variations to this rule should be included in the price proposal. All overtime must have prior approval from the MDOT project manager.